

AMENDMENTS TO THE CLAIMS

Please amend Claims 7, 35, and 63 as follows:

1. (Previously Presented) A process for scheduling the recording, storing, and deleting of television and/or Web page program material on a storage medium in a computer environment, comprising the steps of:

accepting a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and inferred preferred program selections for recording;

comparing said list with a database of program guide objects;

generating a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs;

wherein said preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

wherein said program guide objects indicate when programs of interest are broadcast;

generating an ordered list of future showings of a specific program of interest using said database of program guide objects;

wherein each showing of said specific program of interest in said ordered list is checked for input source or storage space conflicts with programs previously scheduled for recording; and

wherein if a particular showing of said specific program of interest is found having no input and/or space conflicts, then said particular showing of said specific program of interest is scheduled for recording.

2. (Original) The process of claim 1, wherein the viewer may request that certain programs be captured, which results in the highest possible priority for those programs.
3. (Previously Presented) The process of claim 1, wherein the viewer may explicitly express preferences using appurtenances provided through a viewer interface.
4. (Original) The process of claim 1, wherein said preferences may be inferred from viewing patterns.
5. (Original) The process of claim 1, wherein said preferences correspond to television viewing objects stored in a replicated database.
6. (Previously Presented) The process of claim 1, further comprising the steps of:
creating a space schedule;
creating an input schedule;
wherein said space schedule tracks all currently recorded programs and programs that have been scheduled to be recorded in the future; and
wherein said input schedule tracks free and occupied time slots for each input source.
7. (Currently Amended) The process of claim 6, wherein ~~the~~ a total amount of space available at any given moment in time may be found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from total capacity available to store programs.
8. (Previously Presented) The process of claim 1, wherein inferred programs previously scheduled for recording automatically lose conflict decisions with explicit program selections.

9. (Original) The process of claim 1, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.
10. (Original) The process of claim 6, wherein there must be an input available from which to record for the duration of the program.
11. (Original) The process of claim 6, wherein only those inputs from which the desired program can be recorded are considered during scheduling.
- 12-14. (Canceled)
15. (Previously Presented) The process of claim 1, further comprising the step of:
 sorting said list of showings; and
 wherein the ordering of said list results in the viewer being presented with any conflicting programs in order from least impact on scheduled programs to greatest.
16. (Previously Presented) The process of claim 15, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates on conflicting programs.
17. (Original) The process of claim 15, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.
18. (Original) The process of claim 1, further comprising the step of:
 providing a background scheduler.
19. (Original) The process of claim 18, wherein said background scheduler schedules each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.

20. (Original) The process of claim 18, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs□
21. (Original) The process of claim 18, wherein a preferred program which has been scheduled may be deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.
22. (Original) The process of claim 1, wherein all conflicts are resolved as early as possible.
23. (Original) The process of claim 1, wherein any schedule conflicts are determined immediately when the viewer makes an explicit selection of a program to record.
24. (Previously Presented) The process of claim 1, wherein if there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.
25. (Original) The process of claim 4, wherein schedule conflicts between explicit program selections and inferred "fuzzy" program selections are resolved in favor of said explicit selections without asking the viewer.
26. (Original) The process of claim 1, wherein the expiration time of any conflicting stored programs is shortened to exactly that needed to allow recording of a desired program.
27. (Original) The process of claim 1, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using the preference weighting of the programs involved.
28. (Original) The process of claim 1, wherein if multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded if its preference exceeds that of all conflicting programs.

29. (Previously Presented) An apparatus for scheduling the recording, storing, and deleting of television and/or Web page program material on a storage medium in a computer environment, comprising:

a module for accepting a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and derived preferred program selections for recording;

a module for comparing said list with a database of program guide objects;

a module for generating a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs;

wherein said preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

wherein said program guide objects indicate when programs of interest are broadcast;

a module for generating an ordered list of future showings of a specific program of interest using said database of program guide objects;

wherein each showing of said specific program of interest in said ordered list is checked for input source or storage space conflicts with programs previously scheduled for recording; and

wherein if a particular showing of said specific program of interest is found having no input and/or space conflicts, then said particular showing of said specific program of interest is scheduled for recording.

30. (Original) The apparatus of claim 29, wherein the viewer may request that certain programs be captured, which results in the highest possible priority for those programs.

31. (Previously Presented) The apparatus of claim 29, wherein the viewer may explicitly express preferences using appurtenances provided through a viewer interface.
32. (Original) The apparatus of claim 29, wherein said preferences may be inferred from viewing patterns.
33. (Original) The apparatus of claim 29, wherein said preferences correspond to television viewing objects stored in a replicated database.
34. (Original) The apparatus of claim 29, further comprising:
a space schedule;
an input schedule;
wherein said space schedule tracks all currently recorded programs and the programs that have been scheduled to be recorded in the future; and
wherein said input schedule tracks the free and occupied time slots for each input source.
35. (Currently Amended) The apparatus of claim 34, wherein ~~the~~ a total amount of space available at any given moment in time may be found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from total capacity available to store programs.
36. (Previously Presented) The apparatus of claim 29, wherein inferred programs previously scheduled for recording automatically lose conflict decisions with explicit program selections.
37. (Original) The apparatus of claim 29, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.

38. (Original) The apparatus of claim 34, wherein there must be an input available from which to record for the duration of the program.

39. (Original) The apparatus of claim 34, wherein only those inputs from which the desired program can be recorded are considered during scheduling.

40-42. (Canceled)

43. (Previously Presented) The apparatus of claim 29, further comprising:

sorting said list of showings; and

wherein the ordering of said list results in the viewer being presented with any conflicting programs in order from least impact on scheduled programs to greatest.

44. (Previously Presented) The apparatus of claim 43, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates on conflicting programs.

45. (Original) The apparatus of claim 43, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.

46. (Original) The apparatus of claim 29, further comprising:

a background scheduler.

47. (Original) The apparatus of claim 46, wherein said background scheduler schedules each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.

48. (Original) The apparatus of claim 46, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs.

49. (Original) The apparatus of claim 46, wherein a preferred program which has been scheduled may be deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.
50. (Original) The apparatus of claim 29, wherein all conflicts are resolved as early as possible.
51. (Original) The apparatus of claim 29, wherein any schedule conflicts are determined immediately when the viewer makes an explicit selection of a program to record.
52. (Previously Presented) The apparatus of claim 29, wherein if there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.
53. (Original) The apparatus of claim 32, wherein schedule conflicts between explicit program selections and inferred "fuzzy" program selections are resolved in favor of said explicit selections without asking the viewer.
54. (Original) The apparatus of claim 29, wherein the expiration time of any conflicting stored programs is shortened to exactly that needed to allow recording of a desired program.
55. (Original) The apparatus of claim 29, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using the preference weighting of the programs involved.
56. (Original) The apparatus of claim 29, wherein if multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded if its preference exceeds that of all conflicting programs.
57. (Previously Presented) A program storage medium readable by a computer, tangibly embodying a program of instructions executable by the computer to perform method steps

for scheduling the recording, storing, and deleting of television and/or Web page program material on a storage medium in a computer environment, comprising the steps of:

accepting a prioritized list of program viewing preferences;

wherein said list contains a viewer's explicit preferred program selections for recording and derived preferred program selections for recording;

comparing said list with a database of program guide objects;

generating a schedule of time versus available storage space that is optimal for the viewer's explicit or inferred preferred programs;

wherein said preferred programs include television broadcast programs and/or Universal Resource Locators (URLs);

wherein said program guide objects indicate when programs of interest are broadcast;

generating an ordered list of future showings of a specific program of interest using said database of program guide objects;

wherein each showing of said specific program of interest in said ordered list is checked for input source or storage space conflicts with programs previously scheduled for recording; and

wherein if a particular showing of said specific program of interest is found having no input and/or space conflicts, then said particular showing of said specific program of interest is scheduled for recording.

58. (Original) The method of claim 57, wherein the viewer may request that certain programs be captured, which results in the highest possible priority for those programs.

59. (Previously Presented) The method of claim 57, wherein the viewer may explicitly express preferences using appurtenances provided through a viewer interface.

60. (Original) The method of claim 57, wherein said preferences may be inferred from viewing patterns.
61. (Original) The method of claim 57, wherein said preferences correspond to television viewing objects stored in a replicated database.
62. (Previously Presented) The method of claim 57, further comprising the steps of:
creating a space schedule;
creating an input schedule;
wherein said space schedule tracks all currently recorded programs and the programs that have been scheduled to be recorded in the future; and
wherein said input schedule tracks the free and occupied time slots for each input source.
63. (Currently Amended) The method of claim 62, wherein the a total amount of space available at any given moment in time may be found by generating a sum of all occupied space or space that will be occupied at that particular time, and subtracting the sum from the total capacity available to store programs.
64. (Previously Presented) The method of claim 57, wherein inferred programs previously scheduled for recording automatically lose ~~all~~ conflict decisions with explicit program selections.
65. (Original) The method of claim 57, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient space is available to hold it.
66. (Original) The method of claim 62, wherein there must be an input available from which to record for the duration of the program.

67. (Original) The method of claim 62, wherein only those inputs from which the desired program can be recorded are considered during scheduling.

68-70. (Canceled)

71. (Previously Presented) The method of claim 57, further comprising the step of:

sorting said list of showings; and

wherein the ordering of said list results in the viewer being presented with any conflicting programs in order from least impact on scheduled programs to greatest.

72. (Previously Presented) The method of claim 71, wherein for each candidate showing in said list, the viewer is presented with an option of shortening expiration dates on conflicting programs.

73. (Original) The method of claim 71, wherein the viewer is presented with the option to cancel each previously scheduled recording that has an input conflict with the desired program.

74. (Original) The method of claim 57, further comprising the step of:

providing a background scheduler.

75. (Original) The method of claim 74, wherein said background scheduler schedules each preferred program in turn until the list of preferred programs is exhausted or no further opportunity to record is available.

76. (Original) The method of claim 74, wherein a preferred program is scheduled if and only if there are no conflicts with other scheduled programs.

77. (Original) The method of claim 74, wherein a preferred program which has been scheduled may be deleted if it conflicts with an explicit selection or if a change in viewer preferences identifies a higher priority program that could be recorded at that time.

78. (Original) The method of claim 57, wherein all conflicts are resolved as early as possible.

79. (Original) The method of claim 57, wherein any schedule conflicts are determined immediately when the viewer makes an explicit selection of a program to record.

80. (Previously Presented) The method of claim 57, wherein if there are schedule conflicts with other programs that the viewer has explicitly selected, the viewer is asked which scheduled recordings should be canceled and which should be completed.

81. (Original) The method of claim 60, wherein schedule conflicts between explicit program selections and inferred "fuzzy" program selections are resolved in favor of said explicit selections without asking the viewer.

82. (Original) The method of claim 57, wherein the expiration time of any conflicting stored programs is shortened to exactly that needed to allow recording of a desired program.

83. (Original) The method of claim 57, wherein schedule conflicts resulting from the recording of aggregate objects are resolved using the preference weighting of the programs involved.

84. (Original) The method of claim 57, wherein if multiple conflicts are caused by a particular program in an aggregate object, it will only be recorded if its preference exceeds that of all conflicting programs.

85. (Previously Presented) A process for scheduling the recording, storing, and deleting of television and/or Web page program material on a storage medium, comprising:

deriving an ordered list of future showings of a specific program of interest from a database of program guide objects;

wherein said program guide objects indicate when programs are broadcast or transmitted;

determining storage medium memory space and input source scheduling conflicts between showings of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

wherein if a particular showing of said specific program of interest is found with no memory space and/or input conflicts, then the particular showing is scheduled for recording.

86. (Previously Presented) The process of claim 85, wherein the viewer may explicitly request that certain programs be captured, which results in the highest possible priority for those programs.

87. (Previously Presented) The process of claim 85, wherein said inferred program selections may be inferred from the viewer's viewing patterns.

88. (Previously Presented) The process of claim 85, wherein said inferred program selections are inferred from the viewer's indicated preferences.

89. (Previously Presented) The process of claim 85, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

90. (Previously Presented) The process of claim 85, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

91. (Previously Presented) The process of claim 85, wherein there must be an input available from which to record for the duration of the program.

92. (Previously Presented) The process of claim 85, wherein only those inputs from which a desired program can be recorded are considered during scheduling.

93. (Previously Presented) The process of claim 85,
wherein said specific program of interest is an inferred program selection.
94. (Previously Presented) The process of claim 85,
wherein said specific program of interest is an explicit program selection.
95. (Previously Presented) The process of claim 94, wherein the viewer is presented with
an option to cancel each previously scheduled recording that has an input conflict with the
viewer's explicit program selection.
96. (Previously Presented) The process of claim 94, wherein the viewer is presented with
an option to shorten each previously recorded program's expiration date that has a storage
medium memory space conflict with the viewer's explicit program selection.
97. (Previously Presented) The process of claim 96, wherein the viewer's explicit
program selection is scheduled to be recorded if the viewer shortens each of the previously
recorded program's expiration dates that have a storage medium memory space conflict with
the viewer's explicit program selection.
98. (Previously Presented) The process of claim 94, wherein if any previously scheduled
programs conflict with an explicit program selection, then the viewer is asked which
previously scheduled program should be canceled and which should be completed.
99. (Previously Presented) An apparatus for scheduling the recording, storing, and
deleting of television and/or Web page program material on a storage medium, comprising:
a module for deriving an ordered list of future showings of a specific program of
interest from a database of program guide objects;
wherein said program guide objects indicate when programs are broadcast or
transmitted;

a module for determining storage medium memory space and input source scheduling conflicts between showings of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

wherein if a particular showing of said specific program of interest is found with no memory space and/or input conflicts, then the particular showing is scheduled for recording.

100. (Previously Presented) The apparatus of claim 99, wherein the viewer may explicitly request that certain programs be captured, which results in the highest possible priority for those programs.

101. (Previously Presented) The apparatus of claim 99, wherein said inferred program selections may be inferred from the viewer's viewing patterns.

102. (Previously Presented) The apparatus of claim 99, wherein said inferred program selections are inferred from the viewer's indicated preferences.

103. (Previously Presented) The apparatus of claim 99, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

104. (Previously Presented) The apparatus of claim 99, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

105. (Previously Presented) The apparatus of claim 99, wherein there must be an input available from which to record for the duration of the program.

106. (Previously Presented) The apparatus of claim 99, wherein only those inputs from which a desired program can be recorded are considered during scheduling.

107. (Previously Presented) The apparatus of claim 99,
wherein said specific program of interest is an inferred program selection.
108. (Previously Presented) The apparatus of claim 99,
wherein said specific program of interest is an explicit program selection.
109. (Previously Presented) The apparatus of claim 108, wherein the viewer is presented
with an option to cancel each previously scheduled recording that has an input conflict with
one of the viewer's explicit program selections.
110. (Previously Presented) The apparatus of claim 108, wherein the viewer is presented
with an option to shorten each previously recorded program's expiration date that has a
storage medium memory space conflict with one of the viewer's explicit program selections.
111. (Previously Presented) The apparatus of claim 110, wherein the viewer's explicit
program selection is scheduled to be recorded if the viewer shortens each of the previously
recorded program's expiration dates that have a storage medium memory space conflict with
the viewer's explicit program selection.
112. (Previously Presented) The apparatus of claim 108, wherein if any previously
scheduled programs conflict with an explicit program selection, then the viewer is asked
which previously scheduled program should be canceled and which should be completed.
113. (Previously Presented) A program storage medium readable by a computer, tangibly
embodying a program of instructions executable by the computer to perform method steps
for scheduling the recording, storing, and deleting of television and/or Web page program
material on a storage medium, comprising:
- deriving an ordered list of future showings of a specific program of interest from a
database of program guide objects;

wherein said program guide objects indicate when programs are broadcast or transmitted;

determining storage medium memory space and input source scheduling conflicts between showings of said specific program of interest in said ordered list and programs that have been scheduled to be recorded in the future;

wherein said programs that have been scheduled to be recorded in the future comprise a viewer's explicit program selections and inferred program selections; and

wherein if a particular showing of said specific program of interest is found with no memory space and/or input conflicts, then the particular showing is scheduled for recording.

114. (Previously Presented) The method of claim 113, wherein the viewer may explicitly request that certain programs be captured, which results in the highest possible priority for those programs.

115. (Previously Presented) The method of claim 113, wherein said inferred program selections may be inferred from the viewer's viewing patterns.

116. (Previously Presented) The method of claim 113, wherein said inferred program selections are inferred from the viewer's indicated preferences.

117. (Previously Presented) The method of claim 113, wherein inferred programs already scheduled for recording automatically lose conflict decisions with explicit program selections.

118. (Previously Presented) The method of claim 113, wherein a program is recorded if at all times between when the recording would be initiated and when it expires, sufficient storage medium space is available to hold it.

119. (Previously Presented) The method of claim 113, wherein there must be an input available from which to record for the duration of the program.

120. (Previously Presented) The method of claim 113, wherein only those inputs from which a desired program can be recorded are considered during scheduling.
121. (Previously Presented) The method of claim 113,
wherein said specific program of interest is an inferred program selection.
122. (Previously Presented) The method of claim 113,
wherein said specific program of interest is an explicit program selection.
123. (Previously Presented) The method of claim 122, wherein the viewer is presented with an option to cancel each previously scheduled recording that has an input conflict with one of the viewer's explicit program selections.
124. (Previously Presented) The method of claim 122, wherein the viewer is presented with an option to shorten each previously recorded program's expiration date that has a storage medium memory space conflict with one of the viewer's explicit program selections.
125. (Previously Presented) The method of claim 124, wherein the viewer's explicit program selection is scheduled to be recorded if the viewer shortens each of the previously recorded program's expiration dates that have a storage medium memory space conflict with the viewer's explicit program selection.
126. (Previously Presented) The method of claim 122, wherein if any previously scheduled programs conflict with an explicit program selection, then the viewer is asked which previously scheduled program should be canceled and which should be completed.